


Accurate Metal Partitions




91-225 / 512-215

BOTTOM HINGE

About the product: Chrome plated zamac warp around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center. Comes with 3/8" x 1" bolt. "A" dimension is 1-3/16".

Related parts: 512-214, 512-078, 512-310, 531-020, 531-185, 531-406



91-225T / 512-214

TOP HINGE

About the product: Chrome plated zamac warp around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-3/16".

Related parts: 512-215, 512-304, 531-020, 531-185, 531-406



91-226 / 512-304

METAL HINGE PIN

About the product: 3/8" OD x 2-7/8" long aluminum pin has heat treated spring to secure door. Top is tapped with 12-24 thread for easy removal and installation.

Related parts: 512-214




91-227 / 512-220

SLIDE BOLT

About the product: 1/2" OD chrome plated slide bolt is used on metal doors. Snap ring is included.

Related parts: 512-103, 512-333, 512-104



91-200K / 512-103

LATCH KNOB

About the product: Chrome plated heavy duty zamac casting is used on the interior compartment to secure door. Snaps into 512-333 latch cover.

Related parts: 512-333, 512-220, 512-104




91-200C / 512-333

LATCH COVER

About the product: Chrome plated heavy duty zamac casting is used on the exterior compartment as an emergency release on the door. Snaps into 512-103 latch knob.

Related parts: 512-103, 512-220, 512-104




91-228 / 512-104

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper is reversible to accommodate either an in swinging or outswinging door with round bar concealed latch. Fits on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-103, 512-333, 512-220, 531-020, 531-185, 531-406



91-229 / 512-310

DOOR CLOSURE CAP

About the product: Nylon door closure cap fits a 1" metal door.

Related parts: 512-215, 512-078, 512-280



91-230 / 512-078

PINTLE

About the product: 3/4" OD one piece molded nylon pintle. Bottom is tapped for a 3/8" bolt.

Related parts: 512-215, 512-310, 512-280




91-231 / 512-280

TOP CAM

About the product: One piece molded top cam for use with 512-078 pintle.

Related parts: 512-215, 512-310, 512-078

Accurate Laminated Partitions



91-240 / 512-202 TOP AND BOTTOM HINGE BRACKET

About the product: Chrome plated zamac warp around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. Used as both the top and bottom hinge of same door.


Related parts: 512-203, 512-216, 512-311, 531-020, 531-185, 531-406



512-311 NYLON HINGE PIN

About the product: 3/8" OD x 4-1/4" long nylon hinge pin. Top is tapped with 12-24 thread for easy removal and installation.


Related parts: 512-202, 512-216



91-193 / 512-216 CAM AND PINTLE SET

About the product: Set includes one each nylon cam and pintle.


Related parts: 512-215, 512-078



91-224 / 512-203 TOP DOOR TRIM

About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-1/4" and "B" dimension is 2-1/8".


Related parts: 512-216, 512-201



91-4 / 512-010 SLIDE LATCH

About the product: Chrome plated zamac slide latch is surface mounted with 3-1/2" hole centers.


Related parts: 512-039, 512-123, 531-020, 531-021, 531-406



91-26 / 512-123 BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper is used with inswinging doors that have a surface mounted slide latch. Fits a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.


Related parts: 512-010, 512-039, 531-020, 531-185, 531-406



91-78 / 512-039 BUMPER

About the product: Chrome plated zamac bumper is used with outswinging doors that have a surface mounted slide latch. Fits a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.


Related parts: 512-010, 531-020, 531-185, 531-406



91-6 / 512-055 BUMPER HOOK


About the product: Chrome plated zamac combination door bumper and coat hook is used on both round or square edge inswinging door.

ONE WAY SHOULDER SCREWS CHROME PLATED




PART NUMBER	SIZE OF THREAD	SCREW LENGTH
531-556	10-24	1/2"
20-292 / 531-523	10-24	3/4"
20-291 / 531-436	10-24	15/16"
531-036	10-24	1-1/16"
20-187 / 531-020	10-24	1-3/16"
20-281 / 531-479	10-24	1-5/16"

ONE WAY BARREL NUTS CHROME PLATED



PART NUMBER	SIZE OF THREAD	SCREW LENGTH
20-186 / 531-021	10-24	1/2"
20-293 / 531-185	10-24	5/8"

All American Metal Partitions




91-185A / 512-124

BOTTOM HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center. Comes with 1/2" pintle. "A" dimension is 1-3/16".

Related parts: 512-312, 512-185, 512-314, 531-020, 531-185, 531-406



91-2 / 512-312

TOP HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-3/16".

Related parts: 512-124, 512-313, 531-020, 531-185, 531-406




91-1 / 512-313

METAL HINGE PIN

About the product: 5/16" OD x 2-7/8" long chrome plated steel pin has knurled top to secure door. Top is tapped with 10-24 thread for easy removal and installation.

Related parts: 512-312



91-191 / 512-314


NYLON CAM

About the product: Round nylon keylock cam for 1/2" OD pintle.

Related parts: 512-185, 512-316


91-243 / 512-013 & 512-014

LATCH KNOB AND COVER




About the product: Chrome plated heavy duty zamac casting is used on the interior compartment to secure door. Snaps into 512-014 latch cover.

Related parts: 512-014, 512-106, 512-004



About the product: Chrome plated heavy duty zamac casting is used on the exterior compartment as an emergency release on the door. Snaps into 512-013 latch knob.

Related parts: 512-013, 512-106, 512-004




91-251 / 512-239

CONCEALED LATCH KNOB SET

About the product: Chrome plated zamac knob set is for use on a metal door with a concealed slide latch. Complies with A.D.A.

Related parts: 512-04, 512-378, 512-106




91-129 / 512-106

CONCEALED LATCH ASSEMBLY

About the product: 2 Piece zamac casting is 3-5/16" long. Used on metal doors to secure door to pilaster.

Related parts: 512-013, 512-014, 512-183, 512-184, 512-207, 512-371



91-5 / 512-004

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" round edge pilaster.

Related parts: 512-013, 512-014, 512-106, 531-020, 531-185, 531-406




91-102B / 512-185

PINTLE

About the product: 1/2" round pintle is molded to a knurled corrosion proof steel shaft. Complete with lock washers and nut.

Related parts: 512-186, 512-314

All American Laminated Partitions




91-178 / 512-179

BOTTOM HINGE

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/2" square edge pilaster. Holes are 1-1/2" on center. Comes with a 5/8" pintle. "A" dimension is 1-1/4".

Related parts: 512-526, 512-185, 512-314, 512-316, 531-020, 531-185, 531-406




91-179 / 512-526

TOP HINGE

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/2" square edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-1/4".

Related parts: 512-179, 512-158, 512-315, 531-020, 531-185, 531-406




91-191 / 512-314

NYLON CAM

About the product: Round nylon keylock cam for 1/2" OD pin.

Related parts: 512-185, 512-316



91-73 / 512-316

CAM HOUSING

About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-5/16" and "B" dimension is 1-3/16".

Related parts: 512-314, 512-185




91-149 / 512-158

METAL HINGE PIN

About the product: 3/8" OD x 3-1/2" long metal hinge pin. Top is tapped with 12-24 thread for easy removal and installation.

Related parts: 512-526, 512-315




91-249 / 512-315

TOP DOOR TRIM

About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-1/8" and "B" dimension is 1-7/8".

Related parts: 512-313




91-4 / 512-010

SLIDE LATCH

About the product: Chrome plated zamac slide latch is surface mounted with 3-1/2" hole centers.

Related parts: 512-017, 512-123, 512-019, 512-020, 512-077, 512-100, 531-020, 531-021, 531-406




91-26 / 512-123

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper is used with inswinging doors that have a surface mounted slide latch. Fits a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-010, 512-009, 531-020, 531-185, 531-406




91-102B / 512-185

PINTLE

About the product: 1/2" round pintle is molded to a knurled corrosion proof steel shaft. Complete with lock washers and nut.

Related parts: 512-186, 512-314




91-6 / 512-055

BUMPER HOOK

About the product: Chrome plated zamac combination door bumper and coat hook is used on both round or square edge inswinging door.

American Sanitary Partitions




91-25 / 512-008

BOTTOM HINGE

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. Comes with 5/8" pintle. "A" dimension is 1-1/4".

Related parts: 512-027, 512-054, 512-156, 512-151, 531-020, 531-185, 531-406



91-24 / 512-027

TOP HINGE

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-1/4".

Related parts: 512-008, 512-213, 512-150, 531-020, 531-185, 531-406




91-268 / 512-213

METAL HINGE PIN

About the product: 7/16" OD x 3-3/8" long chrome plated steel pin has push point bottom to secure door. Top is tapped with 10-24 thread for easy removal and installation.

Related parts: 512-312




91-72 / 512-150

TOP DOOR TRIM

About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-5/16" and "B" dimension is 1-5/8".

Related parts: 512-213, 512-027




91-148 / 512-054

PINTLE

About the product: 5/8" round pintle is molded to a knurled corrosion proof steel shaft. Complete with lock washers and nut.

Related parts: 512-156, 512-151




91-113 / 512-156

NYLON CAM

About the product: Round nylon cam for 5/8" OD pintle.

Related parts: 512-054, 512-151




91-117 / 512-151

CAM HOUSING

About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-1/4" and "B" dimension is 1-1/8".

Related parts: 512-156, 512-054




91-79 / 512-009

SLIDE LATCH

About the product: Chrome plated zamac slide latch is surface mounted with 2-3/4" hole centers.

Related parts: 512-039, 512-123, 531-018, 531-019, 531-488




91-26 / 512-123

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper is used with inswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-009, 531-020, 531-185, 531-406




91-78 / 512-039

BUMPER

About the product: Chrome plated zamac bumper is used with outswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-009, 531-020, 531-185, 531-406


Ampco Partitions



91-185 / 512-170 BOTTOM HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-7/64".

Related parts: 512-171, 512-182, 512-169, 531-020, 531-185, 531-406



91-186 / 512-171 TOP HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-7/64".


Related parts: 512-170, 512-032, 531-020, 531-185, 531-406



512-032 METAL HINGE PIN

About the product: 3/8" OD x 3" long chrome plated steel pin has 5/16" threaded stem to secure door. Top is slotted for easy removal and installation.


Related parts: 512-171



512-248 TOP DOOR TRIM

About the product: Heavy duty chrome plated zamac top door trim fits 1" steel door.


Related parts: 512-032



91-189 / 512-084 NYLON CAM

About the product: Square nylon unshaved cam for 5/8" OD pintle.


Related parts: 512-054, 512-151



900-14906 / 512-182 CAM HOUSING

About the product: Heavy duty zamac cam housing fits 1" steel door.


Related parts: 512-169, 512-170



91-79 / 512-009 SLIDE LATCH

About the product: Chrome plated zamac slide latch is surface mounted with 2-3/4" hole centers.

Related parts: 512-039, 512-123, 531-018, 531-019, 531-488



900-10535 / 512-019 KEEPER

About the product: Chrome plated zamac keeper is used with inswinging doors that have a surface mounted slide latch. Mounts on any thickness pilaster, square or round edge. Holes are 1-1/2" on center.


Related parts: 512-020, 512-010, 512-009, 512-360, 512-247



91-82 / 512-020 BUMPER

About the product: Chrome plated zamac bumper is used with inswinging or outswinging doors. Mounts on any thickness pilaster, square or round edge. Holes are 1-1/2" on center.


Related parts: 512-019, 512-023, 512-009, 512-010, 512-011



91-6 / 512-055 BUMPER HOOK

About the product: Chrome plated zamac combination door bumper and coat hook is used on both round or square edge inswinging door.

Capitol Partitions



91-240 / 512-202 TOP AND BOTTOM HINGE BRACKET

About the product: Chrome plated zamac warp around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. Used as both the top and bottom hinge of same door.


Related parts: 512-201, 512-203, 512-216, 512-311, 531-020, 531-185, 531-406



512-311 NYLON HINGE PIN

About the product: 3/8" OD x 4-1/4" long nylon hinge pin. Top is tapped with 12-24 thread for easy removal and installation.


Related parts: 512-202, 512-216



91-193 / 512-216 CAM AND PINTLE SET

About the product: Set includes one each nylon cam and pintle.


Related parts: 512-202, 512-203



91-224 / 512-203 TOP DOOR TRIM

About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-1/4" and "B" dimension is 2-1/8".


Related parts: 512-216, 512-201



91-79 / 512-009 SLIDE LATCH

About the product: Chrome plated zamac slide latch is surface mounted with 2-3/4" hole centers.


Related parts: 512-039, 512-123, 531-018, 531-019, 531-488



91-26 / 512-123 BUMBER KEEPER

About the product: Chrome plated zamac bumper keeper is used with inswinging doors that have a surface mounted slide latch. Fits a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.


Related parts: 512-010, 512-039, 531-020, 531-185, 531-406



91-135 / 512-100 BUMPER KEEPER


About the product: Chrome plated zamac bumper keeper is used with an inswinging door that has a surface mounted slide latch. Mounts on any flat surface. Holes are 1-1/2" on center.

Related parts: 512-171, 512-182, 512-169, 531-020, 531-185, 531-406



91-6 / 512-055 BUMPER HOOK


About the product: Chrome plated zamac combination door bumper and coat hook is used on both round or square edge inswinging door.



91-130 / 512-225 CONCEALED LATCH SET

About the product: Chrome plated zamac knob set has 3/8" OD straight bar. For use on laminated partitions.

Related parts: 512-238




91-133 / 512-238 BUMPER

About the product: Chrome plated zamac bumper keeper can be reversed to accommodate an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-012, 512-236, 512-368, 531-020, 531-185, 531-406


Fiat Partitions



91-176 / 512-059 BOTTOM HINGE

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. Comes with a 5/8" pintle. "A" dimension is 1-9/32".


Related parts: 512-058, 512-054, 512-140, 531-020, 531-185, 531-406



91-177 / 512-058 TOP HINGE

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-9/32".


Related parts: 512-059, 512-188, 512-409, 531-020, 531-185, 531-406



91-268 / 512-213 METAL HINGE PIN

About the product: 7/16" OD x 3-3/8" long chrome plated steel pin has push point bottom to secure door. Top is tapped with 10-24 thread for easy removal and installation.


Related parts: 512-058, 512-409



512-409 TOP DOOR TRIM

About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-1/4" and "B" dimension is 1-1/8".

Related parts: 512-058, 512-213



91-148 / 512-054 PINTLE

About the product: 5/8" round pintle is molded to a knurled corrosion proof steel shaft. Complete with lock washers and nut.


Related parts: 512-156, 512-151



91-190 / 512-140 NYLON CAM

About the product: Square nylon shaved cam for 5/8" OD pintle.


Related parts: 512-054, 512-395



91-250 / 512-395 CAM HOUSING

About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-1/8" and "B" dimension is 3/4".


Related parts: 512-140, 512-054



91-79 / 512-009 SLIDE LATCH

About the product: Chrome plated zamac slide latch is surface mounted with 2-3/4" hole centers.


Related parts: 512-039, 512-123, 531-020, 531-021, 531-406



91-26 / 512-123 BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper is used with inswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-039, 512-009, 531-020, 531-185, 531-406




91-78 / 512-039 BUMPER

About the product: Chrome plated zamac bumper is used with outswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-123, 512-009, 531-020, 531-185, 531-406

Flushmetal Metal Partitions




91-3 / 512-025

BOTTOM HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center. Comes with a 5/8" pintle. "A" dimension is 1-3/16".

Related parts: 512-099, 512-054, 512-084, 531-020, 531-185



91-2 / 512-099

TOP HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-3/16".

Related parts: 512-025, 512-115, 531-020, 531-185



91-150S / 512-115

METAL HINGE PIN

About the product: 3/8" OD x 3-5/8" long chrome plated steel pin has 5/16" threaded stem to secure door. Top is slotted for easy removal and installation.

Related parts: 512-099




91-148 / 512-054

PINTLE

About the product: 5/8" round pintle is molded to a knurled corrosion proof steel shaft. Complete with lock washers and nut.

Related parts: 512-156, 512-151




91-189 / 512-084

NYLON CAM

About the product: Square nylon unshaved cam for 5/8" OD pintle.

Related parts: 512-054, 512-025




91-129 / 512-106

CONCEALED LATCH ASSEMBLY

About the product: 2 Piece zamac casting is 3-5/16" long. Used on metal doors to secure door to pilaster.

Related parts: 512-013, 512-014, 512-004




91-243 / 512-013

LATCH KNOB

About the product: Chrome plated heavy duty zamac casting is used on the interior compartment to secure door. Snaps into 512-014 latch cover.

Related parts: 512-014, 512-106, 512-004




91-243 / 512-014

LATCH COVER

About the product: Chrome plated heavy duty zamac casting is used on the exterior compartment as an emergency release on the door. Snaps into 512-013 latch knob.

Related parts: 512-013, 512-106, 512-004




91-5 / 512-004

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" round edge pilaster.

Related parts: 512-013, 512-014, 512-106, 531-020, 531-185, 531-406




91-330 / 512-240

CONCEALED LATCH SET

About the product: Chrome plated zamac knob set for use on metal partitions. Complies with A.D.A.

Related parts: 512-013, 512-014, 512-004

Flushmetal Laminated Partitions




91-25 / 512-008

BOTTOM HINGE

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. Comes with 5/8" pintle. "A" dimension is 1-1/4".

Related parts: 512-027, 512-185, 512-186, 512-408, 531-020, 531-185, 531-406



91-24 / 512-027

TOP HINGE

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-1/4".

Related parts: 512-008, 512-427, 512-410, 531-020, 531-185, 531-406




512-427

METAL HINGE PIN

About the product: 7/32" OD x 3-1/4" long chrome plated steel pin has knurled up to secure door.

Related parts: 512-410




91-154 / 512-410

TOP DOOR TRIM

About the product: Chrome plated zamac housing fits a 7/8" square edge door. "A" dimension is 2-5/16" and "B" dimension is 1-5/8".

Related parts: 512-216, 512-201



91-114 / 512-186

NYLON CAM

About the product: Round nylon cam for 1/2" OD pintle.

Related parts: 512-185, 512-408




91-102B / 512-185

PINTLE

About the product: 1/2" round pintle is molded to a knurled corrosion proof steel shaft. Complete with lock washers and nut.

Related parts: 512-186, 512-408




512-408

CAM HOUSING

About the product: Chrome plated zamac housing fits a 7/8" square edge door. "A" dimension is 2-1/4" and "B" dimension is 1-3/16".

Related parts: 512-186, 512-185




91-79 / 512-009

SLIDE LATCH

About the product: Chrome plated zamac slide latch is surface mounted with 2-3/4" hole centers.

Related parts: 512-039, 512-123, 531-018, 531-019, 531-488




91-26 / 512-123

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper is used with inswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-009, 531-020, 531-185, 531-406




91-78 / 512-039

BUMPER

About the product: Chrome plated zamac bumper is used with outswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-123, 512-009, 531-020, 531-185, 531-406

General Metal Partitions




91-182 / 512-070

BOTTOM HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/8" on center. Comes with a 5/8" pintle. "A" dimension is 1-1/8".

Related parts: 512-128, 512-131, 512-299, 531-020, 531-185



91-183 / 512-128

TOP HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/8" on center. "A" dimension is 1-1/8".

Related parts: 512-070, 512-300, 512-290, 531-020, 531-185, 531-406




91-261 / 512-300

METAL HINGE PIN

About the product: 1/4" OD x 2-7/8" long chrome plated steel pin has push point bottom and knurled top to secure door. Top is tapped with 10-24 thread for easy removal and installation.

Related parts: 512-128, 512-290




512-290

TOP DOOR TRIM

About the product: Heavy duty zamac top door trim fits 1" steel door.

Related parts: 512-300




91-151 / 512-299

SPRING CAM

About the product: Opposing cams are under spring tension. Door will return to the set position swing after swing. For use on steel doors. Cam is molded onto a knurled corrosion proof shaft complete with lock washer and nut. Size is 7/8" x 4-7/8" long.

Related parts: 512-070, 512-131




91-145 / 512-131

CAM HOUSING

About the product: Heavy duty zamac cam housing fits 1" steel door.

Related parts: 512-299, 512-070



512-183

LATCH KNOB

About the product: Chrome plated heavy duty zamac casting is used on the interior compartment to secure door. Snaps into 512-084 latch cover.

Related parts: 512-184, 512-298, 512-004




512-184

LATCH COVER

About the product: Chrome plated heavy duty zamac casting is used on the exterior compartment as an emergency release on the door. Snaps into 512-183 latch knob.

Related parts: 512-183, 512-298, 512-004




91-187 / 512-298

CONCEALED LATCH ASSEMBLY

About the product: 2 Piece zamak casting is 2-13/16" long. Used on metal doors to secure door to pilaster.

Related parts: 512-183, 512-184, 512-004




91-5 / 512-004

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" round edge pilaster.

Related parts: 512-183, 512-184, 512-298, 531-020, 531-185, 531-406


General Laminated Partitions



512-164 BOTTOM HINGE

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. Comes with a 5/8" pintle. "A" dimension is 1-1/4".

Related parts: 512-165, 512-054, 512-156, 512-151, 531-185, 531-020



512-165 TOP HINGE

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-1/4".


Related parts: 512-164, 512-201, 512-150, 531-020, 531-185, 531-406



91-71 / 512-201 METAL HINGE PIN

About the product: 3/8" OD x 3-1/2" long chrome plated steel pin has knurled up to secure door.


Related parts: 512-165, 512-150



91-72 / 512-150 TOP DOOR TRIM

About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-5/16" and "B" dimension is 1-5/8".

Related parts: 512-201, 512-165



91-113 / 512-156 NYLON CAM

About the product: Round nylon cam for 5/8" OD pintle.


Related parts: 512-054, 512-151, 517-164



91-148 / 512-054 PINTLE

About the product: 5/8" round pintle is molded to a knurled corrosion proof steel shaft. Complete with lock washers and nut.


Related parts: 512-156, 512-151, 512-156



91-117 / 512-316 CAM HOUSING

About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-1/4" and "B" dimension is 1-1/8".


Related parts: 512-156, 512-164, 512-054



91-130 / 512-225 CONCEALED LATCH SET

About the product: Chrome plated zamac knob set has 3/8" OD straight bar. For use on laminated partitions.


Related parts: 512-221



512-221 BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" square edge pilaster.


Related parts: 512-012, 512-236, 512-368, 531-020, 531-185, 531-406



91-124 / 512-105 BUMPER HOOK

About the product: Chrome plated zamac combination door bumper and coat hook is used on both round or square edge inswinging door.

Global Metal Partitions




91-3 / 512-025

BOTTOM HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center. Comes with a 5/8" pintle. "A" dimension is 1-3/16".

Related parts: 512-099, 512-054, 512-084, 512-090, 531-020, 531-185




91-2 / 512-099

TOP HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-3/16".

Related parts: 512-025, 512-050, 512-083, 531-020, 531-185




900-10782 / 512-050

METAL HINGE PIN

About the product: 3/8" OD x 3-1/2" long chrome plated steel pin has push point bottom to secure door. Top is tapped with 12-24 thread for easy removal and installation.

Related parts: 512-165, 512-150




512-083

TOP DOOR TRIM

About the product: Heavy duty zamac top door trim fits 1" steel door.

Related parts: 512-050, 512-099



91-189 / 512-084

NYLON CAM

About the product: Square nylon unshaved cam for 5/8" OD pintle.

Related parts: 512-054, 512-025, 512-090, 512-025




91-148 / 512-054

PINTLE

About the product: 5/8" round pintle is molded to a knurled corrosion proof steel shaft. Complete with lock washers and nut.

Related parts: 512-084, 512-025, 512-090, 512-025




91-252 / 512-090

CAM HOUSING

About the product: Heavy duty zamac cam housing fits 1" steel door.

Related parts: 512-084, 512-054, 512-025




91-243 / 512-014

LATCH COVER

About the product: Chrome plated heavy duty zamac casting is used on the exterior compartment as an emergency release on the door. Snaps into 512-013 latch knob.

Related parts: 512-013, 512-106, 512-004




91-243 / 512-013

LATCH KNOB

About the product: Chrome plated heavy duty zamac casting is used on the interior compartment to secure door. Snaps into 512-014 latch cover.

Related parts: 512-014, 512-106, 512-004




91-5 / 512-004

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" round edge pilaster.

Related parts: 512-013, 512-014, 512-106, 531-020, 531-185, 531-406

Global Laminated Partitions



91-240 / 512-202 TOP AND BOTTOM HINGE BRACKET

About the product: Chrome plated zamac warp around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. Used as both the top and bottom hinge of same door.


Related parts: 512-203, 512-216, 512-311, 531-020, 531-185, 531-406



512-311 NYLON HINGE PIN

About the product: 3/8" OD x 4-1/4" long nylon hinge pin. Top is tapped with 12-24 thread for easy removal and installation.


Related parts: 512-202, 512-216



91-193 / 512-216 CAM AND PINTLE SET

About the product: Set includes one each nylon cam and pintle.


Related parts: 512-202, 512-203



91-224 / 512-203 TOP DOOR TRIM

About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-1/4" and "B" dimension is 2-1/8".


Related parts: 512-216, 512-201



91-130 / 512-225 CONCEALED LATCH SET

About the product: Chrome plated zamac knob set has 3/8" OD straight bar. For use on laminated partitions.


Related parts: 512-236, 512-238



91-128 / 512-236 CONCEALED LATCH SET

About the product: Chrome plated zamac knob set has 3/8" OD straight bar. For use on laminated partitions. Complies with A.D.A.


Related parts: 512-225, 512-238



91-133 / 512-238 BUMPER


About the product: Chrome plated zamac bumper keeper can be reversed to accommodate an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-225, 512-236, 531-020, 531-185, 531-406




91-10 / 512-120 DOOR BUMPER

About the product: Chrome plated zamac door bumper is used on both round or square edge outswinging doors. Prevents door from hitting the wall and damaging.



91-6 / 512-055 BUMPER HOOK

About the product: Chrome plated zamac combination door bumper and coat hook is used on both round or square edge inswinging door.




91-9 / 512-077 DOOR PULL

About the product: Chrome plated zamac door pull is used on both round or square edge outswinging doors. Prevents door from hitting the wall and damaging.

Hadrian Metal Partitions

91-311 / 512-384

BOTTOM HINGE




About the product: Chrome plated zamac hinge is used on metal doors. It mounts on the edge of a 1-1/4" metal pilaster. It is held securely in place by a toggle and screw. "A" dimension is 1-1/8".

Related parts: 512-385, 512-391, 512-392

91-312 / 512-385

TOP HINGE




About the product: Chrome plated zamac hinge is used on metal doors. It mounts on the edge of a 1-1/4" metal pilaster. It is held securely in place by a toggle and screw. "A" dimension is 1-1/8".

Related parts: 512-385, 512-390

91-313 / 512-391

NYLON CAM




About the product: Square nylon unshaved cam for 1/2" OD pintle.

Related parts: 512-384, 512-392

91-314 / 512-392

PINTLE



About the product: 1/2" round pintle is molded to a knurled corrosion proof steel shaft. Complete with lock washers and nut.

Related parts: 512-391, 512-384

91-315 / 512-390

NYLON HINGE PIN




About the product: 3/8" OD x 1-7/8" long nylon hinge pin.

Related parts: 512-202, 512-216

91-140 / 512-149

BUMPER KEEPER




About the product: Chrome plated zamac bumper keeper is used with inswinging or outswinging doors. Mounts on any flat surface. Used when door has a round bar concealed latch. Holes are 1-5/8" on center.

Related parts: 512-365, 512-366, 512-433

91-316 / 512-365

LATCH KNOB




About the product: Chrome plated heavy duty zamac casting is used on the interior compartment to secure door. Snaps into 512-366 latch cover.

Related parts: 512-366, 512-433, 512-149

91-317 / 512-366

LATCH COVER




About the product: Chrome plated heavy duty zamac casting is used on the exterior compartment as an emergency release on the door. Snaps into 512-365 latch knob.

Related parts: 512-365, 512-149, 512-433

91-318 / 512-433

BUMPER KEEPER




About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" round edge pilaster.

Related parts: 512-365, 512-366, 512-149, 531-020, 531-185, 531-406


91-6 / 512-055

BUMPER HOOK



About the product: Chrome plated zamac combination door bumper and coat hook is used on both round or square edge inswinging door.

Knickerbocker Metal Partitions




91-182 / 512-070

BOTTOM HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/8" on center. Comes with a 5/8" pintle. "A" dimension is 1-1/8".

Related parts: 512-128, 512-131, 512-299, 531-020, 531-185



91-183 / 512-128

TOP HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/8" on center. "A" dimension is 1-1/8".

Related parts: 512-070, 512-300, 512-290, 531-020, 531-185, 531-406




91-261 / 512-300

METAL HINGE PIN

About the product: 1/4" OD x 2-7/8" long chrome plated steel pin has push point bottom and knurled top to secure door. Top is tapped with 10-24 thread for easy removal and installation.

Related parts: 512-128, 512-290



512-290

TOP DOOR TRIM

About the product: Heavy duty zamac top door trim fits 1" steel door.

Related parts: 512-300



91-174 / 512-127

SPRING CAM

About the product: Opposing cams are under spring tension. Door will return to the set position swing after swing. For use on steel doors. Size is 7/8" x 4-11/16" long.

Related parts: 512-070, 512-131, 512-131




91-248 / 512-166

PINTLE

About the product: 5/8" round pintle is molded to a knurled corrosion proof steel shaft. Complete with lock washers and nut.

Related parts: 512-127, 512-070, 512-131




91-145 / 512-131

CAM HOUSING

About the product: Heavy duty zamac cam housing fits 1" steel door.

Related parts: 512-127, 512-070, 512-166




512-071

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" round edge pilaster.

Related parts: 512-193, 512-194, 512-020, 512-185



91-235 / 512-193

LATCH KNOB

About the product: Chrome plated heavy duty zamac casting is used on the interior compartment to secure door. Snaps into 512-194 latch cover.

Related parts: 512-194, 512-192, 512-071




91-236 / 512-194

LATCH COVER

About the product: Chrome plated heavy duty zamac casting is used on the exterior compartment as an emergency release on the door. Snaps into 512-193 latch knob.

Related parts: 512-192, 512-193, 512-071

Knickerbocker Laminated Partitions




91-108 / 512-293

BOTTOM HINGE

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/8" on center. Comes with a 5/8" pintle. "A" dimension is 1-7/16".

Related parts: 512-292, 512-295, 512-166, 512-294, 531-020, 531-185, 531-406



91-109 / 512-292

TOP HINGE

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/8" on center. "A" dimension is 1-7/16".

Related parts: 512-293, 512-300, 512-297, 531-020, 531-185, 531-406




91-261 / 512-300

METAL HINGE PIN

About the product: 1/4" OD x 2-7/8" long chrome plated steel pin has push point bottom and knurled top to secure door. Top is tapped with 10-24 thread for easy removal and installation.

Related parts: 512-292, 512-297




91-241 / 512-297

TOP DOOR TRIM

About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-5/16" and "B" dimension is 1-17/32".

Related parts: 512-300, 512-292



91-248 / 512-166

PINTLE

About the product: 5/8" round pintle is molded to a knurled corrosion proof steel shaft. Complete with lock washers and nut.

Related parts: 512-295, 512-294, 512-293




512-295

SPRING CAM

About the product: Opposing cams are under spring tension. Door will return to the set position swing after swing. For use on laminated plastic doors. Size is 3/4" x 4-3/4" long.

Related parts: 512-293, 512-166, 512-294




512-294

CAM HOUSING

About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-5/8" and "B" dimension is 1-5/32".

Related parts: 512-166, 512-294, 512-293




91-246 / 512-371

CONCEALED LATCH KNOB SET

About the product: Chrome plated zamac knob set is for use on a metal door with a concealed slide latch. Complies with A.D.A.

Related parts: 512-192, 512-221




91-234 / 512-192

SLIDE BOLT ASSEMBLY

About the product: 2 Piece steel slide bolt assembly is used on a laminated plastic door. 11/32" OD slide bolt.

Related parts: 512-371, 512-221




91-119 / 512-221

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" square edge pilaster.

Related parts: 512-192, 512-371


Metpar Metal Partitions



91-185 / 512-170 BOTTOM HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-7/64".

Related parts: 512-171, 512-182, 512-169, 531-020, 531-185, 531-406



91-186 / 512-171 TOP HINGE

About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-7/64".


Related parts: 512-170, 512-032, 531-020, 531-185, 531-406



512-032 METAL HINGE PIN

About the product: 3/8" OD x 3" long chrome plated steel pin has 5/16" threaded stem to secure door. Top is slotted for easy removal and installation.

Related parts: 512-165, 512-150



512-248 TOP DOOR TRIM

About the product: Heavy duty chrome plated zamac top door trim fits 1" steel door.


Related parts: 512-032



91-152 / 512-169 SPRING CAM

About the product: Opposing cams are under spring tension. Door will return to the set position swing after swing. For use on steel doors. Cam is molded onto a knurled corrosion proof shaft complete with lock washer and nut. Size is 7/8" x 4-7/8" long.


Related parts: 512-070, 512-131



900-14906 / 512-182 CAM HOUSING

About the product: Heavy duty zamac cam housing fits 1" steel door.


Related parts: 512-169, 512-170



91-131 / 512-168 CONCEALED LATCH SET

About the product: Chrome plated zamac knob set has 3/8" OD offset flat tipped bar. Use on metal doors.


Related parts: 512-005, 512-199, 512-373



512-367 CONCEALED LATCH SET

About the product: Chrome plated zamac knob set has 3/8" OD offset flat tipped bar. Use on metal doors. Complies with A.D.A.


Related parts: 512-005, 512-199, 512-373



900-18069 / 512-069 CONCEALED LATCH

About the product: Chrome plated zamac latch has beveled slide bar to allow for easy emergency access. Red or green indicators alert you as to the occupancy of the compartment.

Related parts: 512-005




91-134 / 512-005 BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar, flat tipped concealed latch. Fits on a 1-1/4" round edge pilaster.

Related parts: 512-168, 512-367, 512-069, 531-020, 531-185, 531-406


Metpar Laminated Partitions



512-318 **BOTTOM HINGE**

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. Comes with a 5/8" pintle. "A" dimension is 1-7/64".

Related parts: 512-319, 512-185, 512-186, 512-408, 531-185, 531-020



512-319 **BOTTOM HINGE**

About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center. Comes with a 5/8" pintle. "A" dimension is 1-7/64".


Related parts: 512-319, 512-185, 512-186, 512-408, 531-185, 531-020



512-427 **METAL HINGE PIN**

About the product: 7/32" OD x 3-1/4" long chrome plated steel pin has knurled top to secure door.


Related parts: 512-410



91-154 / 512-410 **TOP DOOR TRIM**

About the product: Chrome plated zamac housing fits a 7/8" square edge door. "A" dimension is 2-5/16" and "B" dimension is 1-5/8".

Related parts: 512-319



91-114 / 512-186 **NYLON CAM**

About the product: Round nylon cam for 1/2" OD pintle.


Related parts: 512-185, 512-318, 512-408



91-102B / 512-185 **PINTLE**

About the product: 1/2" round pintle is molded to a knurled corrosion proof steel shaft. Complete with lock washers and nut.


Related parts: 512-186, 512-408, 512-318



512-408 **CAM HOUSING**

About the product: Chrome plated zamac housing fits a 7/8" square edge door. "A" dimension is 2-1/4" and "B" dimension is 1-3/16".


Related parts: 512-186, 512-185, 512-318



91-79 / 512-009 **SLIDE LATCH**

About the product: Chrome plated zamac slide latch is surface mounted with 2-3/4" hole centers.


Related parts: 512-039, 512-123, 531-018, 531-019, 531-488



91-26 / 512-123 **BUMPER KEEPER**

About the product: Chrome plated zamac bumper keeper is used with inswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-099, 531-020, 531-185, 531-406



91-78 / 512-039 **BUMPER**


About the product: Chrome plated zamac bumper is used with outswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-009, 531-020, 531-185, 531-406

Mills Metal Partitions


900-18576 / 512-073 & 512-072

BOTTOM AND TOP HINGE



About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-3/8" on center. "A" dimension is 1-1/4".

Related parts: 512-072, 512-191, 512-320, 512-321, 531-020, 531-185, 531-406



About the product: Chrome plated zamac wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-3/8" on center. "A" dimension is 1-1/4".

Related parts: 512-073, 512-096, 531-020, 531-185, 531-406

91-107 / 512-191

PINTLE



About the product: 5/8" round pintle is molded to a knurled corrosion proof steel shaft that axially aligns the cam. Complete with lock washers and nut.

Related parts: 512-073, 512-320, 512-321



900-107HP / 512-096


METAL HINGE PIN

About the product: 3/8" OD long chrome plated steel pin has push point bottom to secure door.

Related parts: 512-072


512-320

NYLON CAM



About the product: Naturally lubricated nylon cam is square locked to ensure perfect alignment.

Related parts: 512-073, 512-191, 512-321



512-321


CAM HOUSING

About the product: Steel cam housing with painted finish fits 1" metal door.

Related parts: 512-320, 512-191, 512-073


900-10386 / 512-122

CONCEALED LATCH



About the product: Heavy die cast chrome plated concealed latch. Lock bolt is 3/8" diameter corrosion-proof steel. Internal working parts are of Zytel plastic.

Related parts: 512-113



91-290 / 512-113


BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on the edge of a metal pilaster to create a flush look. Holes are 1-5/8" on center.

Related parts: 512-122

91-10 / 512-120


DOOR BUMPER



About the product: Chrome plated zamac bumper is used on both round or square edge outswinging doors. Prevents door from hitting the wall and damaging.

91-7 / 512-146

COAT HOOK




About the product: Chrome plated heavy duty zamac coat hook is used on inswinging doors.

Sanymetal Metal Partitions

91-93 / 512-093

BOTTOM HINGE




About the product: Chrome plated zamac hinge is used on metal doors. It mounts on the edge of a 1-1/4" metal pilaster. It is held securely in place by a toggle and screw. "A" dimension is 1".

Related parts: 512-079, 512-087, 512-094

91-94 / 512-079

TOP HINGE




About the product: Chrome plated zamac hinge is used on metal doors. It mounts on the edge of a 1-1/4" metal pilaster. It is held securely in place by a toggle and screw. "A" dimension is 1".

Related parts: 512-093, 512-087, 512-088, 512-161

91-86 / 512-111

BOTTOM HINGE




About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" round edge pilaster. Holes are 1-1/4" on center. "A" dimension is 1-1/16".

Related parts: 512-042, 512-094, 531-020, 531-185, 531-406

91-85 / 512-042

TOP HINGE



About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" round edge pilaster. Holes are 1-1/4" on center. "A" dimension is 1-1/16".

Related parts: 512-111, 512-088, 531-020, 531-185, 531-406

91-96 / 512-088

NYLON HINGE PIN




About the product: 3/8" OD x 2-1/2" long nylon hinge pin. Top is tapped with 12-24 thread for easy removal and installation.

Related parts: 512-079, 512-042, 512-161

512-161

TOP DOOR TRIM




About the product: Heavy duty zamac top door trim fits 1" steel door.

Related parts: 512-088, 512-042, 512-079

91-95 / 512-094

SPRING CAM




About the product: Opposing cams are under spring tension. Door will return to the set position swing after swing. For use on 1" steel doors.

Related parts: 512-093, 512-111

91-5 / 512-135

BUMPER KEEPER




About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" round edge pilaster.

Related parts: 512-047, 512-048, 512-020, 531-185, 531-406

512-047

LATCH KNOB




About the product: Chrome plated heavy duty zamac casting is used on the interior compartment to secure door. Snaps into 512-048 latch cover. Complies with A.D.A.

Related parts: 512-048, 512-135

512-048

LATCH COVER




About the product: Chrome plated heavy duty zamac casting is used on the exterior compartment as an emergency release on the door. Snaps into 512-047 latch knob.

Related parts: 512-047, 512-135

Sanymetal Laminated Partitions

512-331

BOTTOM HINGE




About the product: Chrome plated zamac hinge mounts on the edge of a 1-1/4" square edge pilaster. It is held securely in place by a toggle and screw. "A" dimension is 1-1/16".

Related parts: 512-332, 512-187

512-332

TOP HINGE




About the product: Chrome plated zamac hinge mounts on the edge of a 1-1/4" square edge pilaster. It is held securely in place by a toggle and screw. "A" dimension is 1-1/16".

Related parts: 512-331, 512-088, 512-480

512-230

BOTTOM HINGE




About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/4" on center. Comes with a 5/8" pintle. "A" dimension is 1-3/32".

Related parts: 512-386, 512-187, 531-020, 531-185, 531-406

512-386

TOP HINGE



About the product: Chrome plated zamac wrap around hinge mounts on a 1-1/4" square edge pilaster. Holes are 1-1/4" on center. "A" dimension is 1-3/32".

Related parts: 512-230, 512-088, 512-480, 531-020, 531-185, 531-406

91-96 / 512-088

NYLON HINGE PIN




About the product: 3/8" OD x 2-1/2" long nylon hinge pin. Top is tapped with 12-24 thread for easy removal and installation.

Related parts: 512-480, 512-332, 512-386

512-480

TOP DOOR TRIM




About the product: Chrome plated zamac housing fits a 1" square edge door. "A" dimension is 2-5/16" and "B" dimension is 1-5/8".

Related parts: 512-088, 512-332, 512-386

91-210 / 512-187

SPRING CAM




About the product: Opposing cams are under spring tension. Door will return to the set position swing after swing. For use on 1" laminated plastic doors.

Related parts: 512-331, 512-230

91-83 / 512-040

SLIDE LATCH




About the product: Chrome plated zamac slide latch is surface mounted with 2-5/8" hole centers.

Related parts: 512-080, 512-081, 512-041, 531-020, 531-021, 531-406

91-89 / 512-080

KEEPER




About the product: Chrome plated zamac keeper is used with inswinging doors that have a surface mounted slide latch. Mounts on any thickness pilaster, square or round edge. Holes are 2" on center.

Related parts: 512-081, 512-040

91-88 / 512-081


BUMPER



About the product: Chrome plated zamac bumper is used with inswinging or outswinging doors. Mounts on any thickness pilaster, square or round edge. Holes are 2" on center.

Related parts: 512-080, 512-040


Weis Robart Metal Partitions



512-028 BOTTOM HINGE

About the product: Chrome plated brass wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center. Comes with 3/4" pintle. "A" dimension is 1-3/16".


Related parts: 512-031, 512-037, 512-038, 531-020, 531-185, 531-406



512-031 TOP HINGE

About the product: Chrome plated brass wrap around hinge is used on metal doors. Mounts on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center. "A" dimension is 1-3/16".

Related parts: 512-028, 512-029, 512-115, 531-020, 531-185, 531-406



512-029 HINGE COVER

About the product: Chrome plated plastic hinge cover provides clean look and functional styling.


Related parts: 512-031, 512-115



91-150S / 512-115 METAL HINGE PIN

About the product: 3/8" OD x 3-5/8" long chrome plated steel pin has 5/16" threaded stem to secure door. Top is slotted for easy removal and installation.


Related parts: 512-099



512-038 CAM AND HOUSING

About the product: Heavy duty zamac cam housing fits 1" steel door and includes nylon cam.


Related parts: 512-028



91-238 / 512-107 SLIDE LATCH

About the product: Chrome plated brass slide latch is surface mounted with vertical holes of 1-3/8" and horizontal holes of 1-7/8". Overall size is 2-1/2" wide x 2" high.


Related parts: 512-097



512-061 CONCEALED LATCH

About the product: Polished stainless steel stamped interior cover. Lock bolt is 3/8" diameter corrosion proof steel. Attached screws and exterior cover are included.


Related parts: 512-097



512-097 BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" round edge pilaster. Holes are 2" on center.

Related parts: 512-061, 512-107, 531-020, 531-185, 531-406




GRAVITY HINGE SET

About the product: Chrome plated brass round barrel surface mounted hinges have hole centers of 1-1/2" vertically and 2-3/8" horizontally. The overall size is 2-15/16" wide x 2-13/16" high. Comes complete with one pair of hinges and all attaching hardware to hang one door.

91-28 / 512-001L ----- LEFT HAND IN

91-29 / 512-001R ----- RIGHT HAND IN




512-389 ROUND BARREL HINGE PAK

About the product: Hinge pak includes all the necessary items to repair one set of round barrel surface mounted hinges.

Universal Metal Partition Hardware

91-79 / 512-009

SLIDE LATCH




About the product: Chrome plated zamac slide latch is surface mounted with 2-3/4" hole centers.

Related parts: 512-017, 512-123, 512-019, 512-020, 512-018, 512-100, 531-018, 531-019, 531-488

91-4 / 512-010

SLIDE LATCH




About the product: Chrome plated zamac slide latch is surface mounted with 3-1/2" hole centers.

Related parts: 512-017, 512-123, 512-019, 512-020, 512-077, 512-100, 531-020, 531-021, 531-406

91-80 / 512-011

THROW LATCH




About the product: Chrome plated brass throw latch is surface mounted with 3-1/2" hole centers. Complies with A.D.A.

Related parts: 512-200, 512-198, 512-023, 512-020, 531-197

512-200

BUMPER KEEPER




About the product: Chrome plated zamac bumper keeper is used with inswinging doors that have a surface mounted throw latch. Fits on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-011, 531-020, 531-185, 531-406

91-237 / 512-017

BUMPER KEEPER




About the product: Chrome plated zamac bumper keeper is used with inswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-010, 531-009, 531-020, 531-185, 531-406

91-253 / 512-376

BUMPER KEEPER




About the product: Chrome plated zamac bumper keeper is used with inswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" round edge pilaster.

Related parts: 512-011, 531-020, 531-185, 531-406

91-217 / 512-022

BUMPER




About the product: Chrome plated zamac bumper is used with outswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-010, 531-009, 531-020, 531-185, 531-406

91-55 / 512-378

BUMPER KEEPER




About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-370, 512-237, 512-012, 531-020, 531-185, 531-406

91-5 / 512-004

BUMPER KEEPER




About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" round edge pilaster.

Related parts: 512-013, 512-014, 512-106, 531-020, 531-185, 531-406

512-375


BUMPER



About the product: Chrome plated zamac bumper is used with outswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" round edge pilaster.

Related parts: 512-010, 531-009, 531-020, 531-185, 531-406

Universal Laminated Partition Hardware




91-79 / 512-009

SLIDE LATCH

About the product: Chrome plated zamac slide latch is surface mounted with 2-3/4" hole centers.

Related parts: 512-017, 512-123, 512-019, 512-020, 512-018, 512-100, 531-018, 531-019, 531-488




91-4 / 512-010

SLIDE LATCH

About the product: Chrome plated zamac slide latch is surface mounted with 3-1/2" hole centers.

Related parts: 512-017, 512-123, 512-019, 512-020, 512-077, 512-100, 531-020, 531-021, 531-406




91-127 / 512-360

SLIDE LATCH

About the product: Chrome plated zamac slide latch is surface mounted with 2-3/4" hole centers. The offset bar is needed when the door and pilaster are of the same thickness.

Related parts: 512-017, 512-123, 512-019, 512-100, 531-020, 531-021, 531-488




91-126 / 512-247

SLIDE LATCH

About the product: Chrome plated zamac slide latch is surface mounted with 3-1/2" hole centers. The offset bar is needed when the door and pilaster are of the same thickness.

Related parts: 512-017, 512-123, 512-019, 512-020, 512-077, 512-100, 531-020, 531-021, 531-406




91-80 / 512-011

THROW LATCH

About the product: Chrome plated brass throw latch is surface mounted with 3-1/2" hole centers. Complies with A.D.A.

Related parts: 512-200, 512-198, 512-023, 512-020, 531-197




GRAVITY HINGE SET

About the product: Chrome plated brass round barrel surface mounted hinges have hole centers of 1-1/2" vertically and 2-3/8" horizontally. The overall size is 2-15/16" wide x 2-13/16" high. Comes complete with one pair of hinges and all attaching hardware to hang one door.

91-28 / 512-001L ----- LEFT HAND IN

91-29 / 512-001R ----- RIGHT HAND IN




91-133 / 512-238

BUMPER

About the product: Chrome plated zamac bumper keeper can be reversed to accommodate an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" round edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-012, 531-236, 512-368, 531-020, 531-185, 531-406




91-138 / 512-307

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper is used with inswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" square edge pilaster.

Related parts: 512-011, 531-020, 531-185, 531-406




91-119 / 512-221

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper can be reversed to accommodate either an inswinging or outswinging door with a round bar concealed latch. Fits on a 1-1/4" square edge pilaster.

Related parts: 512-012, 512-236, 512-368, 531-020, 531-185, 531-406




91-137 / 512-377

BUMPER

About the product: Chrome plated zamac bumper is used with outswing doors with a surface mounted slide latch. Fits on a 1-1/4" square edge pilaster.

Related parts: 512-010, 531-009, 531-020, 531-185, 531-406

Universal Laminated Partition Hardware




91-26 / 512-123

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper is used with inswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-010, 512-009, 531-020, 531-185, 531-406




91-78 / 512-039

BUMPER

About the product: Chrome plated zamac bumper is used with outswinging doors that have a surface mounted slide latch. Fits on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-010, 531-009, 531-020, 531-185, 531-406




91-132 / 512-198

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper is used with inswinging doors that have a surface mounted throw latch. Fits on a 1-1/4" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-011, 531-020, 531-185, 531-406



91-81 / 512-023

KEEPER

About the product: Chrome plated zamac keeper is used with inswinging doors that have a surface mounted throw latch. Mounts on any thickness pilaster, square or round edge. Holes are 1-1/2" on center.

Related parts: 512-020, 512-011




91-82 / 512-020

BUMPER

About the product: Chrome plated zamac bumper is used with inswing or outswinging doors. Mounts on any thickness pilaster, square or round edge. Holes are 1-1/2" on center.

Related parts: 512-019, 512-023, 512-009, 512-010, 512-011



900-10535 / 512-019

KEEPER

About the product: Chrome plated zamac keeper is used with inswinging doors that have a surface mounted slide latch. Mounts on any thickness pilaster, square or round edge. Holes are 1-1/2" on center.

Related parts: 512-020, 512-010, 512-009, 512-360, 512-247




91-140 / 512-149

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper is used with inswinging or outswinging doors. Mounts on any flat surface. Used with a round bar concealed latch. Holes are 1-5/8" on center.

Related parts: 512-012, 512-236, 512-368




91-139 / 512-197

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper is used with inswinging door that has a surface mounted throw latch. Mounts on any flat surface. Holes are 1-1/2" on center.

Related parts: 512-011




91-135 / 512-100

BUMPER KEEPER

About the product: Chrome plated zamac bumper keeper is used with an inswinging door that has a surface mounted slide latch. Mounts on any flat surface. Holes are 1-1/2" on center.

Related parts: 512-010, 512-009




91-141 / 512-159

BUMPER

About the product: Chrome plated zamac bumper mounts on any flat surface. Used with a outswinging door that has a surface mounted slide latch. Holes are 1-5/8" on center.

Related parts: 512-010, 512-009


Solid Plastic Partition Hardware



512-362 SLIDE LATCH

About the product: Extruded aluminum slide latch is surface mounted with 3-3/8" hole centers. It is used on 1" doors and pilasters.

Related parts: 512-428, 512-429, 531-523, 531-021, 531-406




GRAVITY HINGE SET

About the product: Extruded aluminum wrap around gravity hinges accommodate 1" thick doors and pilasters. Holes are 1-1/2" on center on each leaf. Comes complete with one pair of hinges and all attaching hardware to hang one door.

512-387L ----- LEFT HAND IN


512-387R ----- RIGHT HAND IN



91-103 / 512-428 BUMPER KEEPER

About the product: Extruded aluminum bumper keeper is used with inswinging doors and a surface mounted slide latch. Fits a 1" square edge pilaster. Holes are 1-1/2" on center.


Related parts: 512-362, 531-436, 531-021, 531-406



512-429 BUMPER


About the product: Extruded aluminum bumper is used with outswinging doors and a surface mounted slide latch. Fits a 1" square edge pilaster. Holes are 1-1/2" on center.

Related parts: 512-362, 531-436, 531-021, 531-406




TWO EAR WALL BRACKET EXTRUDED ALUMINIUM

PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
91-144 / 512-130	1"	2-3/4"



ONE EAR WALL BRACKET EXTRUDED ALUMINIUM

PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
91-212 / 512-129	1"	2-5/8"
91-211 / 512-434	1-1/4"	2-5/8"



"U" WALL BRACKET EXTRUDED ALUMINIUM

PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
512-435	1"	1-3/8"
91-169 / 512-436	1"	2-3/4"
512-437	1-1/4"	2-3/4"



CONTINUOUS "U" BRACKETS EXTRUDED ALUMINIUM

PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
512-441	1"	1-3/8"


57-1/2" LONG



CONTINUOUS ONE EAR BRACKET EXTRUDED ALUMINIUM

PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
512-438	1"	2-3/4"

57-1/2" LONG




CONTINUOUS ONE EAR BRACKET EXTRUDED ALUMINIUM

PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
512-439	1"	2-3/4"
512-440	1-1/4"	2-3/4"

57-1/2" LONG


Chrome Plated Zamac Wall Brackets

TWO EAR WALL BRACKETS




PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
512-450	1/2"	2-1/2"
512-154	3/4"	2-1/2"
91-213 / 512-451	7/8"	2-1/2"
91-17 / 512-118	1"	2-1/2"
91-18 / 512-053	1-1/4"	2-1/2"

ONE EAR WALL BRACKETS




PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
512-452	1/2"	2-1/2"
512-453	3/4"	2-1/2"
91-67 / 512-152	7/8"	2-1/2"
91-15 / 512-138	1"	2-1/2"
512-002	1-1/8"	2-1/2"
91-16 / 512-110	1-1/4"	2-1/2"

TWO EAR X-LONG BRACKETS




PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
91-160 / 512-454	1"	3-1/2"
91-97 / 512-134	1-1/4"	3-1/2"

ONE EAR X-LONG BRACKETS




PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
91-244 / 512-143	1"	3-1/2"
91-288 / 512-142	1-1/4"	3-1/2"

TWO EAR URINAL BRACKETS




PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
512-460	1/2"	2-1/2"
512-461	3/4"	2-1/2"
512-462	7/8"	2-1/2"
91-160 / 512-133	1"	3-1/2"
91-161 / 512-082	1-1/4"	3-1/2"

URINAL WING BRACKETS




PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
91-159 / 512-989	1"	12"
91-11 / 512-089	1-1/4"	6"

TWO PIECE WALL BRACKETS



PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
91-162 / 512-464	ANY	1-1/2"
91-164 / 512-144	ANY	3-1/2"


"U" WALL BRACKETS



PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
91-165 / 512-465	1/2"	1-1/2"
91-166 / 512-466	3/4"	1-1/2"
91-76 / 512-467	7/8"	1-1/2"
91-12 / 512-116	1"	1-1/2"
91-167 / 512-468	1-1/4"	1-1/2"

91-14 / 512-114


ALCOVE CLIP



About the product: Chrome plated zamac alcove clip is used on metal partitions to join a 1" panel to a 1-1/4" pilaster in an alcove layout.

91-70 / 512-195


ALCOVE CLIP



About the product: Chrome plated zamac alcove clip is used on square edge partitions to join a panel to the pilaster in alcove layout. Joins any thickness panel to pilaster.

Stamped Stainless Steel Hardware


GRAVITY HINGE SET



About the product: Stamped stainless steel square barrel surface mounted hinges have hole centers of 1-1/2" vertically and 2-7/16" horizontally. The overall size is 3-1/8" wide x 3" high. Comes complete with one pair of hinges and all attaching hardware to hang one door.

91-173 / 512-217L/R----- RH INSWING/LH OUTSWING

GRAVITY HINGE SET




About the product: Stamped stainless steel round barrel surface mounted hinges have hole centers of 1-1/2" vertically and 2-3/8" horizontally. The overall size is 3" wide x 2-7/8" high. Comes complete with one pair of hinges and all attaching hardware to hang one door.

91-29SS / 512-484L-----LEFT HAND IN

91-28SS / 512-484R-----RIGHT HAND IN

91-260 / 512-627


SLIDE LATCH



About the product: Heavy duty stamped stainless steel slide latch stamping is surface mounted complete with keeper.

900-19628 / 512-278

SLIDE LATCH




About the product: Heavy duty stamped stainless steel slide latch stamping is surface mounted with 1-7/8" hole centers.

Related parts: 512-279, 512-274, 531-523, 531-021, 531-406

91-266 / 512-279

BUMPER



About the product: Stamped stainless steel bumper is used with inswinging or outswinging doors. It mounts on any thickness pilaster, square or round edge. Holes are 1-7/8" center.

Related parts: 512-274, 512-278

91-239 / 512-274


KEEPER



About the product: Stamped stainless steel keeper is used with inswinging door that has a surface mount slide latch. It mounts on any thickness pilaster, square or round edge. Holes are 1-7/8" center.


Related parts: 512-279, 512-278

TWO EAR WALL BRACKETS




PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
512-250	1/2"	2-1/2"
512-254	3/4"	2-1/2"
512-259	7/8"	2-1/2"
91-97 / 512-264	1"	2-1/2"
512-270	1-1/4"	2-1/2"

ONE EAR WALL BRACKETS




PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
512-255	1/2"	2-1/2"
512-260	3/4"	2-1/2"
512-251	7/8"	2-1/2"
512-265	1"	2-1/2"
512-272	1-1/4"	2-1/2"

TWO EAR WALL BRACKETS



PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
512-267	1/2"	2-1/2"
512-261	3/4"	2-1/2"
512-256	7/8"	2-1/2"
512-271	1"	2-1/2"
512-273	1-1/4"	2-1/2"

ONE EAR WALL BRACKETS




PART NUMBER	PANEL THICKNESS	BRACKET HEIGHT
512-253	1/2"	2-1/2"
512-266	3/4"	2-1/2"
512-269	7/8"	2-1/2"
512-258	1"	2-1/2"
512-263	1-1/4"	2-1/2"

Partition Accessories

91-125 / 512-018

DOOR PULL




About the product: Chrome plated zamac door pull is used on both round or square edge outswinging doors. Holes are tapped 8-32 and are 2-3/4" on center.

Related parts: 512-009

91-90 / 512-041

DOOR PULL




About the product: Chrome plated zamac door pull is used on both round or square edge outswinging doors. Holes are tapped 10-24 and are 2-5/8" on center.

Related parts: 512-040

91-9 / 512-077

DOOR PULL




About the product: Chrome plated zamac door pull is used on both round or square edge outswinging doors. Holes are tapped 10-24 and are 3-1/2" on center.

Related parts: 512-010

512-276

DOOR PULL




About the product: Stamped stainless steel door pull is used on round or square edge outswinging doors. Holes are 4-3/4" on center.

Related parts: 512-278, 512-363

91-10 / 512-120


DOOR BUMPER



About the product: Chrome plated zamac door bumper is used on both round or square edge outswinging doors. Prevents door from hitting the wall and damaging.

91-7 / 512-146


COAT HOOK



About the product: Chrome plated heavy duty zamac coat hook is used on inswinging doors.

91-124 / 512-105


BUMPER HOOK



About the product: Chrome plated zamac combination door bumper and coat hook is used on both round or square edge inswinging door.

91-6 / 512-055


BUMPER HOOK



About the product: Chrome plated zamac combination door bumper and coat hook is used on both round or square edge inswinging door.

91-48 / 512-173


TOILET PAPER HOLDER



About the product: Surface mounted toilet tissue holder is constructed of 18 guage chrome plated steel. The unit features a vandal and theft resistant locking mechanism and hinged arm for filling. Tension spring prevents free spinning of the roll. Holds one standard core roll through a 6" diameter.

91-49 / 512-174


TOILET PAPER HOLDER



About the product: Surface mounted toilet tissue holder is constructed of 18 guage chrome plated steel. The unit features a vandal and theft resistant locking mechanism and hinged arm for filling. Tension spring prevents free spinning of the roll. Holds two standard core roll through a 6" diameter.

Partition Accessories

PILASTER SHOES 1-1/4" THICKNESS



PART NUMBER	WIDTH OF PILASTER
512-175-03	3"
91-35 / 512-175-04	4"
91-37 / 512-175-05	5"
91-39 / 512-175-06	6"
512-175-07	7"
91-43 / 512-175-08	8"
91-45 / 512-175-10	10"
512-175-12	12"

91-63 / 512-153


HEADRAIL END PLUG



About the product: Chrome plated zamac end plug fits 1" wide anti-grip headrail.

91-13 / 512-148


HEADRAIL BRACKET



About the product: Chrome plated zamac bracket secures 1" wide headrail to the wall. For use on metal pilasters with 512-284 headrail.


512-525

HEADRAIL BRACKET



About the product: Chrome plated zamac bracket secures 1-1/4" wide headrail to the wall. For use on laminated plastic pilasters with 512-285 headrail.


ANTI-GRIP HEADRAIL



About the product: Heavy duty anodized aluminum extrusion fits 1-1/4" thick round edge, metal pilasters. Use 512-148 bracket.

PART NUMBER	LENGTH OF HEADRAIL
512-284-48	48"
512-284-60	60"
512-284-72	72"

ANTI-GRIP HEADRAIL




About the product: Heavy duty anodized aluminum extrusion fits 1-1/4" thick round edge, metal pilasters. Use 512-525 bracket.

PART NUMBER	LENGTH OF HEADRAIL
512-285-48	48"
512-285-60	60"
512-285-72	72"

ONE WAY SHOULDER SCREWS


CHROME PLATED




PART NUMBER	SIZE OF THREAD	SCREW LENGTH
531-556	10-24	1/2"
20-292 / 531-523	10-24	3/4"
20-291 / 531-436	10-24	15/16"
531-036	10-24	1-1/16"
20-187 / 531-020	10-24	1-3/16"
20-281 / 531-479	10-24	1-5/16"

ONE WAY SHOULDER SCREWS

CHROME PLATED



PART NUMBER	SIZE OF THREAD	NUT LENGTH
20-186 / 531-021	10-24	1/2"
20-293 / 531-185	10-24	5/8"



UN-DO-IT TOOLS

About the product: Tools used to remove one way fasteners. Nylon handle and steel shaft hold two heat treated pins.

PART NUMBER	SIZE
531-488	For #6 and #8 Screw
531-406	For #8 and #10 Screw
531-489	For #12 and #14 Screw
59-18 / 531-533	3 Pak - 1 of each size

ONE WAY MACHINE SCREWS

CHROME PLATED



PART NUMBER	SCREW SIZE	HEAD TYPE
531-502	8-32 X 1"	Oval
531-018	8-32 X 1-1/8"	Oval
531-245	8-32 X 1-3/8"	Oval
531-550	8-32 X 1-5/8"	Round
531-558	10-24 X 3/4"	Round
531-552	10-32 X 3/4"	Round